



MISSOURI DEPARTMENT OF TRANSPORTATION  
GENERAL SERVICES DIVISION  
FLEET SECTION

## NOTIFICATION OF STATEWIDE CONTRACT

**CONTRACT TITLE:** Forklifts


**CURRENT CONTRACT PERIOD:** July 1, 2010 – June 30, 2011

**BUYER INFORMATION:** Reva Jones  
573-526-2744  
[reva.jones@modot.mo.gov](mailto:reva.jones@modot.mo.gov)

<b>RENEWAL INFORMATION</b>	Bid prices should be firm for purchase until June 30, 2011. Two (2) one-year extensions are available upon mutual consideration by Missouri Department of Transportation and the successful bidder. Allowance for inflation increases will be considered at the time of offer of these extensions.
----------------------------	--

ALL PURCHASES MADE UNDER THIS CONTRACT MUST BE FOR **PUBLIC USE ONLY**.  
PURCHASES FOR PERSONAL USE BY PUBLIC EMPLOYEES OR OFFICIALS ARE PROHIBITED.

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	District	COOP PROCUR E-MENT
3-090616		Central Missouri Forklifts	All	Yes
		4502 Hwy 50 West, P. O. Box 1731		
		Jefferson City MO.65120		
		573-893-7373		
		Larry Purvis		
		<a href="mailto:lpurvis@forklifts-of-centralmo.com">lpurvis@forklifts-of-centralmo.com</a>		
3-090616		Wiese Planning & Engineering	All	Yes
		7700 I-70 Drive S E		
		Columbia MO 65201		
		573-875-0700		
		Matt McDonald		
		<a href="mailto:mmcdonald@wieseusa.com">mmcdonald@wieseusa.com</a>		





**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Clark TMX – 15S

**PRICE:** \$24,208.15 w/ battery & charger

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>3,000 lbs. @ 24" load center</b>
Volts	36
Service Weight	7,908 lbs
Wheels: Front/Rear: (x=driven)	Drive 18 x 7 x 12.12, Steer 18 x 7 x 12.12
Tire Type:	Smooth Cushion Solid
Number of tires Front/Rear	2 + 1
Max. Fork Height, Full Capacity: (in)	2,800 lbs. @ 188" w/o attachments
Length to Fork Face: (in)	69.5"
Width: (in.)	40.25"
Wheelbase (in)	46.0"
Turning Radius: (in)	53.4"
Gradeability @ 1mph loaded (%)	40%
Gradeability @ 1mph unloaded (%)	20%
Service Brake Type	Disc
Parking Brake Type	Hand Lever actuated

**AVAILABLE OPTIONS:**

<b>Three phase battery charger</b>	<b>\$428.00</b>
<b>Side shifter w/ hosing</b>	<b>\$930.00</b>
<b>Amber Strobe light</b>	<b>\$144.00</b>
<b>Audible back-up alarm</b>	<b>\$100.00</b>
<b>Two rear view mirrors</b>	<b>\$66.00</b>
<b>Non-marking drive tires</b>	<b>\$79.00</b>
<b>Non-marking drive tires</b>	<b>\$44.00</b>
<b>Lug drive tires</b>	<b>\$37.00</b>
<b>Lug steer tires</b>	<b>\$25.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Clark TMX – 17

**PRICE:** \$25,791.66 w/ battery & charger

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>3,500 lbs. @ 24" load center</b>
Volts	36
Service Weight	8,305 lbs
Wheels: Front/Rear: (x=driven)	Drive 18 x 7 x 12.12, Steer 18 x 7 x 12.12
Tire Type:	Smooth Cushion Solid
Number of tires Front/Rear	2 + 1
Max. Fork Height, Full Capacity: (in)	3,300 lbs. @ 188" w/o attachments
Length to Fork Face: (in)	76.1"
Width: (in.)	40.25"
Wheelbase (in)	52.7"
Turning Radius: (in)	59.8"
Gradeability @ 1mph loaded (%)	36%
Gradeability @ 1mph unloaded (%)	21%
Service Brake Type	Disc
Parking Brake Type	Hand Lever actuated

**AVAILABLE OPTIONS:**

<b>Three phase battery charger</b>	<b>Standard</b>
<b>Side shifter w/ hosing</b>	<b>\$930.00</b>
<b>Amber Strobe light</b>	<b>\$144.00</b>
<b>Audible back-up alarm</b>	<b>\$100.00</b>
<b>Two rear view mirrors</b>	<b>\$66.00</b>
<b>Non-marking drive tires</b>	<b>\$88.00</b>
<b>Non-marking drive tires</b>	<b>\$48.00</b>
<b>Lug drive tires</b>	<b>\$41.00</b>
<b>Lug steer tires</b>	<b>\$25.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Clark TMX – 20

**PRICE:** \$27,694.62 including 1,000 AHC battery & 3 phase charger.

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>4,000 lbs. @ 24" load center</b>
Volts	36
Service Weight	8,964 lbs.
Wheels: Front/Rear: (x=driven)	Drive 18 x 7 x 12.12, Steer 18 x 7 x 12.12
Tire Type:	Smooth Cushion Solid
Number of tires Front/Rear	2 + 1
Max. Fork Height, Full Capacity: (in)	3,300 lbs. @ 188" w/o attachments
Length to Fork Face: (in)	76.1"
Width: (in.)	40.25"
Wheelbase (in)	52.7"
Turning Radius: (in)	59.8"
Gradeability @ 1mph loaded (%)	36%
Gradeability @ 1mph unloaded (%)	21%
Service Brake Type	Disc
Parking Brake Type	Hand Lever actuated

**AVAILABLE OPTIONS:**

<b>Three phase battery charger</b>	<b>Standard</b>
<b>Side shifter w/ hosing</b>	<b>\$930.00</b>
<b>Amber Strobe light</b>	<b>\$144.00</b>
<b>Audible back-up alarm</b>	<b>\$100.00</b>
<b>Two rear view mirrors</b>	<b>\$66.00</b>
<b>Non-marking drive tires</b>	<b>\$88.00</b>
<b>Non-marking drive tires</b>	<b>\$48.00</b>
<b>Lug drive tires</b>	<b>\$41.00</b>
<b>Lug steer tires</b>	<b>\$25.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Clark TMX – 25

**PRICE:** \$28,134.25 with battery & charger (3 phase)

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>5,000 lbs. @ 24" load center</b>
Volts	36
Service Weight	10,093 lbs.
Wheels: Front/Rear: (x=driven)	Drive 18 x 9 x 12.12, Steer 18 x 6 x 12.12
Tire Type:	Smooth Solid Cushion
Number of tires Front/Rear	2 + 1
Max. Fork Height, Full Capacity: (in)	4,800 lbs. @ 187" w/o attachments
Length to Fork Face: (in)	76.1"
Width: (in.)	42.25"
Wheelbase (in)	52.7"
Turning Radius: (in)	61.9"
Gradeability @ 1mph loaded (%)	27%
Gradeability @ 1mph unloaded (%)	16%
Service Brake Type	Disc
Parking Brake Type	Hand Lever actuated

**AVAILABLE OPTIONS:**

<b>Three phase battery charger</b>	<b>Standard</b>
<b>Side shifter w/ hosing</b>	<b>\$930.00</b>
<b>Amber Strobe light</b>	<b>\$144.00</b>
<b>Audible back-up alarm</b>	<b>\$100.00</b>
<b>Two rear view mirrors</b>	<b>\$66.00</b>
<b>Non-marking drive tires</b>	<b>\$88.00</b>
<b>Non-marking drive tires</b>	<b>\$48.00</b>
<b>Lug drive tires</b>	<b>\$41.00</b>
<b>Lug steer tires</b>	<b>\$25.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Clark ECX – 25

**PRICE:** \$27,832.73 including 1020 AHC battery & 3 phase charger.

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>4,800 lbs. @ 24" load center</b>
Volts	36
Service Weight	10,592 lbs.
Wheels: Front/Rear: (x=driven)	Drive 21 x 8 x 15, Steer 16 x 6 x 10.5
Tire Type:	Smooth Solid Cushion
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	4,800 lbs. @ 189" w/o attachments
Length to Fork Face: (in)	86.2"
Width: (in.)	43.9"
Wheelbase (in)	53"
Turning Radius: (in)	72.6"
Gradeability @ 1mph loaded (%)	N/A
Gradeability @ 1mph unloaded (%)	N/A
Service Brake Type	Drum & Shoe
Parking Brake Type	Pedal actuated

**AVAILABLE OPTIONS:**

<b>Three phase battery charger</b>	<b>Standard</b>
<b>Side shifter w/ hosing</b>	<b>\$976.00</b>
<b>Amber Strobe light</b>	<b>\$144.00</b>
<b>Audible back-up alarm</b>	<b>\$100.00</b>
<b>Two rear view mirrors</b>	<b>\$66.00</b>
<b>Non-marking drive tires</b>	<b>\$96.00</b>
<b>Non-marking drive tires</b>	<b>\$82.00</b>
<b>Lug drive tires</b>	<b>\$47.00</b>
<b>Lug steer tires</b>	<b>\$37.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Clark ECX – 20 (OPTION)

**PRICE:** \$26,732.07 including 1020 AHC battery & 3 phase charger.

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>5,000 lbs. @ 24" load center</b>
Volts	36
Service Weight	9,348 lbs.
Wheels: Front/Rear: (x=driven)	Drive 21 x 7 x 15, Steer 16 x 6 x 10.5
Tire Type:	Smooth Solid Cushion
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	3,800 lbs. @ 189" w/o attachments
Length to Fork Face: (in)	86.8"
Width: (in.)	41.9"
Wheelbase (in)	53"
Turning Radius: (in)	70.6"
Gradeability @ 1mph loaded (%)	N/A
Gradeability @ 1mph unloaded (%)	N/A
Service Brake Type	Drum & Shoe
Parking Brake Type	Pedal actuated

**AVAILABLE OPTIONS:**

<b>Three phase battery charger</b>	<b>Standard</b>
<b>Side shifter w/ hosing</b>	<b>\$976.00</b>
<b>Amber Strobe light</b>	<b>\$144.00</b>
<b>Audible back-up alarm</b>	<b>\$100.00</b>
<b>Two rear view mirrors</b>	<b>\$66.00</b>
<b>Non-marking drive tires</b>	<b>\$84.00</b>
<b>Non-marking drive tires</b>	<b>\$81.00</b>
<b>Lug drive tires</b>	<b>\$42.00</b>
<b>Lug steer tires</b>	<b>\$37.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**





**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Toyota 7FBEU-15

**PRICE:** \$23,195.72 with battery & charger.

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>3,000 lbs. @ 24" load center</b>
Volts	36
Service Weight	5,280 lbs.
Wheels: Front/Rear: (x=driven)	2(X)/1
Tire Type:	Smooth Cushion Black Rubber
Number of tires Front/Rear	2 x 2
Max. Fork Height, Full Capacity: (in)	189"
Length to Fork Face: (in)	72"
Width: (in.)	41.5"
Wheelbase (in)	51.6"
Turning Radius: (in)	58.3"
Gradeability @ 1mph loaded (%)	22
Gradeability @ 1mph unloaded (%)	23
Service Brake Type	Dual Mechanical Disc
Parking Brake Type	Mechanical

**AVAILABLE OPTIONS:**

<b>Three phase battery charger</b>	<b>\$1,682.00</b>
<b>Hawker Battery 18-85F-17</b>	<b>\$3,769.00</b>
<b>with 5 year warranty</b>	

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%**

**Delivery will be made 10 to 12 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Toyota 7FBEU-20

**PRICE:** \$25,321.79 with battery & charger.

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>4,000 lbs. @ 24" load center</b>
Volts	36
Service Weight	5,785 lbs.
Wheels: Front/Rear: (x=driven)	2(X)/1
Tire Type:	Smooth Cushion Black Rubber
Number of tires Front/Rear	2 x 2
Max. Fork Height, Full Capacity: (in)	189"
Length to Fork Face: (in)	77.2"
Width: (in.)	41.5"
Wheelbase (in)	55.6"
Turning Radius: (in)	52.8"
Gradeability @ 1mph loaded (%)	18
Gradeability @ 1mph unloaded (%)	21
Service Brake Type	Dual Mechanical Disc
Parking Brake Type	Mechanical

**AVAILABLE OPTIONS:**

<b>Three phase battery charger</b>	<b>\$1,773.00</b>
<b>Hawker Battery 18-85F-17</b>	<b>\$4,461.00</b>
<b>with 5 year warranty</b>	

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%**

**Delivery will be made 10 to 12 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Toyota 7FBCU-15

**PRICE:** \$22,926.34

**EQUIPMENT INCLUDED IN PRICE:**

**Load Capacity: lbs**

**3,000 lbs. @ 24" load center**

Volts

36

Service Weight

6,770 lbs.

Wheels: Front/Rear: (x=driven)

18 x 6 x 12.12 Drive, 14 x 4.5 x 8 Steer

Tire Type:

Thread

Number of tires Front/Rear

2 x 2

Max. Fork Height, Full Capacity: (in)

2,800 lbs. cap. @ 189" MFH w/o any attachment

Length to Fork Face: (in)

76.8"

Width: (in.)

37"

Wheelbase (in)

48"

Turning Radius: (in)

66.3"

Gradeability @ 1mph loaded (%)

20

Gradeability @ 1mph unloaded (%)

21

Service Brake Type

Drum & Shoe

Parking Brake Type

Lever actuated

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%**

**Delivery will be made 10 to 12 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Toyota 7FBCU-20

**PRICE:** \$26,684.79

**EQUIPMENT INCLUDED IN PRICE:**

**Load Capacity: lbs**

**4,000 lbs. @ 24" load center**

Volts

36

Service Weight

8,530 lbs.

Wheels: Front/Rear: (x=driven)

21 x 7 x 15 Drive, 16 x 5 x 10.5 Steer

Tire Type:

Thread

Number of tires Front/Rear

2 x 2

Max. Fork Height, Full Capacity: (in)

3,700 lbs. cap. @ 189" MFH w/o any attachment

Length to Fork Face: (in)

81.5"

Width: (in.)

41.9"

Wheelbase (in)

51"

Turning Radius: (in)

70.5"

Gradeability @ 1mph loaded (%)

25

Gradeability @ 1mph unloaded (%)

23

Service Brake Type

Drum & Shoe

Parking Brake Type

Lever actuated

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%**

**Delivery will be made 10 to 12 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Toyota 7FBCU-25

**PRICE:** \$27,633.53

**EQUIPMENT INCLUDED IN PRICE:**

**Load Capacity: lbs**

**5,000 lbs. @ 24" load center**

Volts

36

Service Weight

8,530 lbs.

Wheels: Front/Rear: (x=driven)

21 x 7 x 15 Drive, 16 x 5 x 10.5 Steer

Tire Type:

Thread

Number of tires Front/Rear

2 x 2

Max. Fork Height, Full Capacity: (in)

7,700 lbs. cap. @ 189" MFH w/o any attachment

Length to Fork Face: (in)

82.7"

Width: (in.)

41.9"

Wheelbase (in)

51"

Turning Radius: (in)

70.9"

Gradeability @ 1mph loaded (%)

21

Gradeability @ 1mph unloaded (%)

19

Service Brake Type

Drum & Shoe

Parking Brake Type

Lever actuated

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 25%**

**Delivery will be made 10 to 12 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Wiese Planning Engineering**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Mitsubishi FBC15N-AC

**PRICE:** \$28,021.00 with battery and charger

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>3,000 lbs.</b>
Volts	36
Service Weight	6,200 lbs.
Wheels: Front/Rear: (x=driven)	2x/2
Tire Type:	Cushion
Number of tires Front/Rear	2 Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	188"
Length to Fork Face: (in)	78"
Width: (in.)	37"
Wheelbase (in)	46"
Turning Radius: (in)	70.5"
Gradeability @ 1mph loaded (%)	24
Gradeability @ 1mph unloaded (%)	23
Service Brake Type	Foot -operated, hydraulic
Parking Brake Type	Hand-operated, mechanical

**AVAILABLE OPTIONS:**

<b>Battery Slides</b>	<b>\$319.58</b>
<b>Sideshifter</b>	<b>\$372.84</b>
<b>Drive Tires Smooth Electric Compound Drive</b>	<b>\$94.42</b>
<b>Drive Tires Lugged Non-Marking</b>	<b>\$94.42</b>
<b>Steer Tires Smooth Non-Marking</b>	<b>\$94.42</b>
<b>Warning Device Light Amber Strobe Light</b>	<b>\$167.05</b>
<b>Overhead Guard drive-In Rack OHG</b>	<b>\$377.68</b>
<b>Electronic Back-Up Alarm</b>	<b>\$94.42</b>
<b>Fire Extinguish 2.5 dry Chemical</b>	<b>\$96.84</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%**

**Delivery will be made 40 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Wiese Planning Engineering**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Mitsubishi FB20NT-AC

**PRICE:** \$30,276.00 with battery and charger

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>4,000 lbs.</b>
Volts	36
Service Weight	7,750 lbs.
Wheels: Front/Rear: (x=driven)	2x/2
Tire Type:	Cushion
Number of tires Front/Rear	2 Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	188"
Length to Fork Face: (in)	80.2"
Width: (in.)	42"
Wheelbase (in)	55.5"
Turning Radius: (in)	65"
Gradeability @ 1mph loaded (%)	11
Gradeability @ 1mph unloaded (%)	26
Service Brake Type	Foot –operated, hydraulic
Parking Brake Type	Hand-operated, mechanical

**AVAILABLE OPTIONS:**

<b>Battery Slides</b>	<b>\$924.84</b>
<b>Sideshifter</b>	<b>\$372.84</b>
<b>Hydraulic Valve 4-section Valve</b>	<b>\$295.37</b>
<b>Drive and Dual Steer Tires Solid Pneumatic</b>	<b>\$167.05</b>
<b>Tires Lugged Non-Marking Drive/Non-Marking Steer</b>	<b>\$368.00</b>
<b>Warning Device Light Amber Strobe Light</b>	<b>\$167.05</b>
<b>Fire Extinguish 2.5 dry Chemical</b>	<b>\$96.42</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%**

**Delivery will be made 40 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Wiese Planning Engineering**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Mitsubishi FBC25N-AC

**PRICE:** \$33,051.00 with battery and charger

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>5,000 lbs.</b>
Volts	36
Service Weight	9,200 lbs.
Wheels: Front/Rear: (x=driven)	2x/2
Tire Type:	Cushion
Number of tires Front/Rear	2 Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	188"
Length to Fork Face: (in)	82"
Width: (in.)	41.5"
Wheelbase (in)	50.5"
Turning Radius: (in)	74.5"
Gradeability @ 1mph loaded (%)	25
Gradeability @ 1mph unloaded (%)	23
Service Brake Type	Foot –operated, hydraulic
Parking Brake Type	Hand-operated, mechanical

**AVAILABLE OPTIONS:**

<b>Battery Slides</b>	<b>\$319.58</b>
<b>Sideshifter</b>	<b>\$372.84</b>
<b>Drive Tires Smooth Electric Compound</b>	<b>\$94.42</b>
<b>Drive Tires Lugged Non-Marking</b>	<b>\$94.42</b>
<b>Drive Tires Smooth Non-Marking</b>	<b>\$94.42</b>
<b>Steer Tires Smooth Non-Marking</b>	<b>\$94.42</b>
<b>Overhead Guard Drive-In Rack OHG</b>	<b>\$384.95</b>
<b>Warning Device Light Amber Strobe Light</b>	<b>\$167.05</b>
<b>Fire Extinguish 2.5 dry Chemical</b>	<b>\$96.42</b>
<b>Back-Up Alarm</b>	<b>\$94.42</b>
<b>Rear View Mirror Kit</b>	<b>\$94.42</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%**

**Delivery will be made 40 days after receipt of order.**





**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Shipping Utilities Inc**

**Item – 1** Standard electric sit down model forklift meeting the net lifting capacity range from 3000 lbs to 5,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Hyster E50XN

**PRICE:** \$22,714.83 *does not include batter or charger*

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>5,000 lbs.</b>
Volts	36
Service Weight	7,270 lbs.
Wheels: Front/Rear: (x=driven)	21 x 7 x 15, 16 x 5 10.5
Tire Type:	Cushion
Number of tires Front/Rear	2 Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	189"
Length to Fork Face: (in)	78.9"
Width: (in.)	42.1"
Wheelbase (in)	48.4"
Turning Radius: (in)	69.2"
Gradeability @ 1mph loaded (%)	20
Gradeability @ 1mph unloaded (%)	35
Service Brake Type	Foot –operated, hydraulic
Parking Brake Type	Hand-operated, mechanical

**AVAILABLE OPTIONS:**

<b>Battery 18-85-23</b>	<b>\$4,728.00</b>
<b>Three phase battery charger</b>	<b>\$2,064.00</b>
<b>Work Lights 2 Front and 1 Rear</b>	<b>\$210.00</b>
<b>Back-Up Alarm</b>	<b>\$200.00</b>
<b>Strobe Light</b>	<b>\$310.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%**

**Delivery will be made 130 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 2    Standard Solid Soft Tired sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 10,000 lbs, per as advertised in manufacturer’s standard literature and MoDOT specifications.**

**MAKE/MODEL: Clark CQ030**

**PRICE:    \$23,720.02**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>6,000 lbs. @ 24” load center</b>
Engine/Horsepower	58.6
Service Weight	9,202 lbs
Wheels: Front/Rear: (x=driven)	Drive 815 x 15, Steer 650 x 10
Tire Type:	Soft Rider Solid Pneumatic
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	5,700 lbs. @ 189” w/o attachments
Length to Fork Face: (in)	104.8”
Width: (in.)	49.2”
Wheelbase (in)	66.9”
Turning Radius: (in)	92.9”
Gradeability @ 1mph loaded (%)	26.3%
Gradeability @ 1mph unloaded (%)	21%
Service Brake Type	Drum & Shoe
Parking Brake Type	Lever actuated

**AVAILABLE OPTIONS:**

<b>Side shifter</b>	<b>Standard</b>
<b>Two Headlights</b>	<b>Standard</b>
<b>Two rear view mirrors</b>	<b>\$62.00</b>
<b>Turn signals with rear combination lights</b>	<b>\$432.00</b>
<b>Strobe light amber</b>	<b>\$121.00</b>
<b>Dual Drive with Pneumatic tires</b>	<b>\$983.00</b>
<b>Dual Drive with Soft Ride Solids tires</b>	<b>\$1,579.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 2    Standard Solid Soft Tired sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 10,000 lbs, per as advertised in manufacturer’s standard literature and MoDOT specifications.**

**MAKE/MODEL: Clark CMP40**

**PRICE:    \$33,398.22**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>8,000 lbs. @ 24” load center</b>
Engine/Horsepower	82.8
Service Weight	14,061 lbs
Wheels: Front/Rear: (x=driven)	Drive 825 x 15-14 ply , Steer 750 x 12-14 ply
Tire Type:	Soft Rider Solid Pneumatic
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	7,800 lbs. @ 189” w/o attachments
Length to Fork Face: (in)	121.6”
Width: (in.)	61”
Wheelbase (in)	76.8”
Turning Radius: (in)	111.4”
Gradeability @ 1mph loaded (%)	37.0%
Gradeability @ 1mph unloaded (%)	21.7%
Service Brake Type	Wet Disc
Parking Brake Type	Lever actuated

**AVAILABLE OPTIONS:**

Side shifter	<b>\$690.00</b>
Side shifter fork positioner, DAV, DHK (single drive)	<b>\$2,621.00</b>
Side shifting fork positioner, DAV, DHK, *Dual drive	<b>\$4,228.00</b>
Side shifter for Dual drive unit	<b>\$2,064.00</b>
Turn signal light	<b>\$182.00</b>
Amber strobe light	<b>\$121.00</b>
Audible back-up alarm	<b>\$62.00</b>
Two rear view mirrors	<b>\$62.00</b>
Convenience Console 9 tool tray, drink holder	<b>\$49.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 2    Standard Solid Soft Tired sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 10,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Clark CMP45**

**PRICE:    \$34,560.02**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>9,000 lbs. @ 24" load center</b>
Engine/Horsepower	82.8
Service Weight	14,563 lbs
Wheels: Front/Rear: (x=driven)	Drive 825 x 15, Steer 700 x 12
Tire Type:	Soft Rider Solid Pneumatic
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	8,800 lbs. @ 189" w/o attachments
Length to Fork Face: (in)	123.2"
Width: (in.)	61"
Wheelbase (in)	76.8"
Turning Radius: (in)	113"
Gradeability @ 1mph loaded (%)	31.2%
Gradeability @ 1mph unloaded (%)	20.6%
Service Brake Type	Wet Disc
Parking Brake Type	Lever actuated

**AVAILABLE OPTIONS:**

Side shifter	\$690.00
Side shifter fork positioner, DAV, DHK (single drive)	\$2,621.00
Side shifting fork positioner, DAV, DHK, *Dual drive	\$4,228.00
Side shifter for Dual drive unit	\$2,064.00
Turn signal light	\$182.00
Amber strobe light	\$121.00
Audible back-up alarm	\$121.00
Two rear view mirrors	\$62.00
Convenience Console 9 tool tray, drink holder	\$49.00

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 2    Standard Solid Soft Tired sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 10,000 lbs, per as advertised in manufacturer’s standard literature and MoDOT specifications.**

**MAKE/MODEL: Clark CMP50S**

**PRICE:    \$35,873.65**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>10,000 lbs. @ 24” load center</b>
Engine/Horsepower	82.8
Service Weight	15,472 lbs
Wheels: Front/Rear: (x=driven)	Drive 300 x 15, Steer 700 x 12
Tire Type:	Soft Rider Solid Pneumatic
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	8,800 lbs. @ 189” w/o attachments
Length to Fork Face: (in)	124.8”
Width: (in.)	61”
Wheelbase (in)	76.8”
Turning Radius: (in)	114.2”
Gradeability @ 1mph loaded (%)	27.9%
Gradeability @ 1mph unloaded (%)	19.3%
Service Brake Type	Wet Disc
Parking Brake Type	Lever actuated

**AVAILABLE OPTIONS:**

Side shifter	<b>\$690.00</b>
Side shifter fork positioner, DAV, DHK (single drive)	<b>\$2,621.00</b>
Side shifting fork positioner, DAV, DHK, *Dual drive	<b>\$4,228.00</b>
Side shifter for Dual drive unit	<b>\$2,064.00</b>
Turn signal light	<b>\$182.00</b>
Amber strobe light	<b>\$121.00</b>
Audible back-up alarm	<b>\$121.00</b>
Two rear view mirrors	<b>\$62.00</b>
Convenience Console 9tool tray, drink holder)	<b>\$49.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 2 Standard Solid Soft Tired sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 10,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Toyota 8FDU-30**

**PRICE: \$26,521.66**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>6,000 lbs. @ 24" load center</b>
Engine/Horsepower	57
Service Weight	9,430 lbs
Wheels: Front/Rear: (x=driven)	Drive 28 x 9 x 15, Steer 650 x 10
Tire Type:	Soft Ride Solid Pneumatic
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	6,000 lbs. @ 187"MFH, w/o attachments
Length to Fork Face: (in)	110"
Width: (in.)	48.8"
Wheelbase (in)	66.9"
Turning Radius: (in)	92.5"
Gradeability @ 1mph loaded (%)	29%
Gradeability @ 1mph unloaded (%)	20%
Service Brake Type	Drum & Shoe
Parking Brake Type	Lever actuated

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 2 Standard Solid Soft Tired sit down model forklift meeting the net lifting capacity range from 6000 lbs to 10,000 lbs, per as advertised in manufacturer’s standard literature and MoDOT specifications.**

**MAKE/MODEL: Toyota 7FDU-35**

**PRICE: \$32,941.72**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>8,000 lbs. @ 24” load center</b>
Engine/Horsepower	76
Service Weight	12,460 lbs
Wheels: Front/Rear: (x=driven)	Drive 28 x 15, Steer 700 x 12
Tire Type:	Soft Rider Solid Pneumatic
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	7,700 lbs. @ 187”MFH, w/o attachments
Length to Fork Face: (in)	115”
Width: (in.)	57.1”
Wheelbase (in)	72.4”
Turning Radius: (in)	101.8”
Gradeability @ 1mph loaded (%)	42%
Gradeability @ 1mph unloaded (%)	22%
Service Brake Type	Drum & Shoe
Parking Brake Type	Lever actuated

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 2    Standard Solid Soft Tired sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 10,000 lbs, per as advertised in manufacturer’s standard literature and MoDOT specifications.**

**MAKE/MODEL: Toyota 7FDU-45**

**PRICE:    \$39,293.10**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>10,000 lbs. @ 24” load center</b>
Engine/Horsepower	76
Service Weight	14,930 lbs
Wheels: Front/Rear: (x=driven)	Drive 28 x 15, Steer 700 x 12
Tire Type:	Soft Ride Solid Pneumatic
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	9,300 lbs. @ 187”MFH, w/o attachments
Length to Fork Face: (in)	123”
Width: (in.)	57.1”
Wheelbase (in)	72.4”
Turning Radius: (in)	108.3”
Gradeability @ 1mph loaded (%)	35%
Gradeability @ 1mph unloaded (%)	22%
Service Brake Type	Drum & Shoe
Parking Brake Type	Lever actuated

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 20%**

**Delivery will be made 12 to 14 weeks after receipt of order.**





## Multiple Award

Contract Number: 3-090616

Vendor: Wiese Planning Engineering

Item – 2 Standard Solid Soft Tired sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 10,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

MAKE/MODEL: Mitsubishi FD30N-D

PRICE: \$25,073.00

### EQUIPMENT INCLUDED IN PRICE:

<b>Load Capacity: lbs</b>	<b>6,000 lbs. @ 24" load center</b>
Engine/Horsepower	56.5
Service Weight	9600 lbs
Wheels: Front/Rear: (x=driven)	2x/2.0
Tire Type:	Pneumatic
Number of tires Front/Rear	2 Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	186"MFH, w/o attachments
Length to Fork Face: (in)	107"
Width: (in.)	50"
Wheelbase (in)	67"
Turning Radius: (in)	94"
Gradeability @ 1mph loaded (%)	25%
Gradeability @ 1mph unloaded (%)	17.3%
Service Brake Type	Foot-operated, hydraulic
Parking Brake Type	Hand-operated, mechanical

### AVAILABLE OPTIONS:

Side shifter 39.5 Class III Integral (40.5" Overall Width)	\$506.00
Warning device Light Amber strobe (Mtd above OHG)	\$130.74
Drive Tire Dual Solid Soft Ride 28 x 9-15	\$978.11

### Notes:

Additional options available contact fleet buyer or this vendor for complete list.

*% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%*

Delivery will be made 90 weeks after receipt of order.



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Wiese Planning Engineering**

**Item – 2    Standard Solid Soft Tired sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 10,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Mitsubishi FD40K-D**

**PRICE:    \$33,716.00**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>8,000 lbs. @ 24" load center</b>
Engine/Horsepower	84
Service Weight	12600 lbs
Wheels: Front/Rear: (x=driven)	2x/2.0
Tire Type:	Pneumatic
Number of tires Front/Rear	Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	187"
Length to Fork Face: (in)	121"
Width: (in.)	55.5"
Wheelbase (in)	78.5"
Turning Radius: (in)	108"
Gradeability @ 1mph loaded (%)	22.6%
Gradeability @ 1mph unloaded (%)	27.1%
Service Brake Type	Hydraulic w/vacuum boost
Parking Brake Type	Hand mechanical

**AVAILABLE OPTIONS:**

<b>Side shifter 39.5 Class III Integral (40.5" Overall Width)</b>	<b>\$506.00</b>
<b>Warning device Light Amber strobe (Mtd above OHG)</b>	<b>\$130.74</b>
<b>Drive Tire Dual Solid Soft Ride 28 x 9-15</b>	<b>\$978.11</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%***

**Delivery will be 85 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Wiese Planning Engineering**

**Item – 2    Standard Solid Soft Tired sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 10,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Mitsubishi FD45K-D**

**PRICE:    \$37,597.00**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>10,000 lbs. @ 24" load center</b>
Engine/Horsepower	84
Service Weight	14750 lbs
Wheels: Front/Rear: (x=driven)	2x/2.0
Tire Type:	Pneumatic
Number of tires Front/Rear	Front 2 / 2 Rear
Max. Fork Height, Full Capacity: (in)	188"
Length to Fork Face: (in)	125"
Width: (in.)	57.5"
Wheelbase (in)	78.5"
Turning Radius: (in)	111"
Gradeability @ 1mph loaded (%)	22.6%
Gradeability @ 1mph unloaded (%)	18%
Service Brake Type	Hydraulic w/vacuum boost
Parking Brake Type	Hand mechanical

**AVAILABLE OPTIONS:**

<b>Side shifter –ITA Class III, 59" Cascade (62" Width over LBR)</b>	<b>\$798.95</b>
<b>Warning device Light Amber strobe (Mtd under OHG)</b>	<b>\$133.16</b>
<b>Drive Tire Dual Solid Soft Ride 8.25 x 15</b>	<b>\$1,578.53</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%**

**Delivery will be 85 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Shipping Utilities Inc.**

**Item – 2 Standard Solid Soft Tired sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 10,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Hyster H100 FT**

**PRICE: \$42,954.38**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>10,000 lbs. @ 24" load center</b>
Engine/Horsepower	3.3L
Service Weight	15575 lbs
Wheels: Front/Rear: (x=driven)	x=300 x 15 / 7 x12-14 pr
Tire Type:	Solid Pneumatic
Number of tires Front/Rear	Front 2 / 2 Rear
Max. Fork Height, Full Capacity: (in)	163"
Length to Fork Face: (in)	128.2"
Width: (in.)	57.1"
Wheelbase (in)	82.7"
Turning Radius: (in)	111.7"
Gradeability @ 1mph loaded (%)	31.1%
Gradeability @ 1mph unloaded (%)	27%
Service Brake Type	Foot Hydraulic
Parking Brake Type	Hand mechanical

**AVAILABLE OPTIONS:**

<b>Side Shifter</b>	<b>Included</b>
<b>Front &amp; Rear work lights</b>	<b>\$133.16</b>
<b>Strobe Light</b>	<b>\$280.00</b>
<b>Back-UP Alarm</b>	<b>\$200.00</b>
<b>Fire Ext.</b>	<b>\$150.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%**

**Delivery will be 105 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 3 Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Sellick SLP - 60**

**PRICE: \$47,288.00**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>6,000 lbs. @ 24" load center</b>
Engine/Horsepower	84
Service Weight	11,000 lbs
Wheels: Front/Rear: (x=driven)	2 wheel base unit, (Option has 4 wheel drive)
Tire Type:	Drive- 15-19.5-12 ply / Steer – 12-16.5-10 ply
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	Base quote @120"/6,000 lbs. (see optional uprights)
Length to Fork Face: (in)	141"
Width: (in.)	78"
Wheelbase (in)	87"
Turning Radius: (in)	172" w/2WD and 190" w/ 4WD
Gradeability @ 1mph loaded (%)	25%
Gradeability @ 1mph unloaded (%)	not given
Service Brake Type	Enclose multi-disc. Oil - immersed
Parking Brake Type	Mechanically lever operated

**AVAILABLE OPTIONS:**

<b>169" MFH/118"OHL/ 0"FL Two stage, standard side shifting</b>	<b>\$656.00</b>
<b>180" MFH/91"OHL/61"FL Three stage, standard side shifting</b>	<b>\$2,972.00</b>
<b>72" Wide ITA class III carriage</b>	<b>\$200.00</b>
<b>Strobe Light</b>	<b>\$204.00</b>
<b>Turn Signal</b>	<b>\$193.00</b>
<b>Engine Shut down Package</b>	<b>\$490.00</b>
<b>Ultraseal Tire sealant</b>	<b>\$327.00</b>
<b>Vandalism Pkg.</b>	<b>\$142.00</b>
<b>4 Wheel Drive</b>	<b>\$6,236.00</b>
<b>48" long Forks</b>	<b>\$109.00</b>
<b>60" long Forks</b>	<b>\$224.00</b>
<b>All weather cab lockable, heater, tinted safety glass, fan</b>	<b>\$5,357.00</b>
<b>Partial cab, front windshield w/wiper, roof glass</b>	<b>\$1,083.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 18%**

**Delivery will be 8 to 10 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 3 Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Sellick SLP - 80**

**PRICE: \$51,680.00**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>8,000 lbs. @ 24" load center</b>
Engine/Horsepower	84
Service Weight	14,400 lbs
Wheels: Front/Rear: (x=driven)	2 wheel base unit, (Option has 4 wheel drive)
Tire Type:	Drive- 15-19.5-12 ply / Steer – 12-16.5-10 ply
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	Base quote @120"/6,000 lbs. (see optional uprights)
Length to Fork Face: (in)	142"
Width: (in.)	78"
Wheelbase (in)	87"
Turning Radius: (in)	172" w/2WD and 190" w/ 4WD
Gradeability @ 1mph loaded (%)	25%
Gradeability @ 1mph unloaded (%)	not given
Service Brake Type	Enclose multi-disc. Oil - immersed
Parking Brake Type	Mechanically lever operated

**AVAILABLE OPTIONS:**

<b>169" MFH/12"OHL/ 0"FL Two stage, standard side shifting</b>	<b>\$621.00</b>
<b>180" MFH/94"OHL/61"FL Three stage, standard side shifting</b>	<b>\$4,229.00</b>
<b>72" Wide ITA class III carriage</b>	<b>\$200.00</b>
<b>Strobe Light</b>	<b>\$204.00</b>
<b>Turn Signal</b>	<b>\$193.00</b>
<b>Engine Shut down Package</b>	<b>\$490.00</b>
<b>Ultraseal Tire sealant</b>	<b>\$327.00</b>
<b>Vandalism Pkg.</b>	<b>\$142.00</b>
<b>4 Wheel Drive</b>	<b>\$6,236.00</b>
<b>48" long Forks</b>	<b>\$109.00</b>
<b>60" long Forks</b>	<b>\$224.00</b>
<b>All weather cab lockable, heater, tinted safety glass, fan</b>	<b>\$5,357.00</b>
<b>Partial cab, front windshield w/wiper, roof glass</b>	<b>\$1,083.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 18%**

**Delivery will be 8 to 10 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 3 Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Sellick S – 60JDS-2**

**PRICE: \$48,842.00**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>6,000 lbs. @ 24" load center</b>
Engine/Horsepower	84
Service Weight	N/A
Wheels: Front/Rear: (x=driven)	2 wheel base unit, (Option has 4 wheel drive)
Tire Type:	Drive- 15.5 x 25-12 ply, Steer – 14x 17.5-14 ply
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	Base quote @120"/6,000 lbs. (see optional uprights)
Length to Fork Face: (in)	149"
Width: (in.)	89"
Wheelbase (in)	89"
Turning Radius: (in)	178" w/2WD and 183" w/ 4WD
Gradeability @ 1mph loaded (%)	25%
Gradeability @ 1mph unloaded (%)	not given
Service Brake Type	Enclose multi-disc. Oil - immersed
Parking Brake Type	Mechanically lever operated

**AVAILABLE OPTIONS:**

<b>169" MFH/118"OHL/ 0"FL Two stage, standard side shifting</b>	<b>\$656.00</b>
<b>180" MFH/91"OHL/61"FL Three stage, standard side shifting</b>	<b>\$2,972.00</b>
<b>72" Wide ITA class III carriage</b>	<b>\$200.00</b>
<b>84" Wide ITA class III carriage</b>	<b>\$824.00</b>
<b>Strobe Light</b>	<b>\$204.00</b>
<b>Turn Signal</b>	<b>\$193.00</b>
<b>Engine Shut down Package</b>	<b>\$490.00</b>
<b>Ultraseal Tire sealant</b>	<b>\$327.00</b>
<b>Vandalism Pkg.</b>	<b>\$142.00</b>
<b>4 Wheel Drive</b>	<b>\$6,488.00</b>
<b>48" long Forks</b>	<b>\$109.00</b>
<b>60" long Forks</b>	<b>\$231.00</b>
<b>All weather cab lockable, heater, tinted safety glass, fan</b>	<b>\$5,357.00</b>
<b>Partial cab, front windshield w/wiper, roof glass</b>	<b>\$1,083.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 18%**

**Delivery will be 8 to 10 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 3 Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Sellick S – 80JDS-2**

**PRICE: \$52,504.00**

**EQUIPMENT INCLUDED IN PRICE:**

**Load Capacity: lbs**

**8,000 lbs. @ 24" load center**

Engine/Horsepower

84

Service Weight

14,365

Wheels: Front/Rear: (x=driven)

2 wheel base unit, (Option has 4 wheel drive)

Tire Type:

Drive- 15.5 x 25-12 ply, Steer – 14x 17.5-14 ply

Number of tires Front/Rear

2 + 2

Max. Fork Height, Full Capacity: (in)

Base quote @120"/8,000 lbs. (see optional uprights)

Length to Fork Face: (in)

150"

Width: (in.)

89"

Wheelbase (in)

89"

Turning Radius: (in)

178" w/2WD and 183" w/ 4WD

Gradeability @ 1mph loaded (%)

25%

Gradeability @ 1mph unloaded (%)

not given

Service Brake Type

Enclose multi-disc. Oil - immersed

Parking Brake Type

Mechanically lever operated

**AVAILABLE OPTIONS:**

169" MKH/12"OHL/ 0"FL Two stage, standard side shifting	\$621.00
180" MFH/94"OHL/61"FL Three stage, standard side shifting	\$4,229.99
72" Wide ITA class III carriage	\$196.00
84" Wide ITA class III carriage	\$889.00
Strobe Light	\$204.00
Turn Signal	\$193.00
Engine Shut down Package	\$490.00
Ultraseal Tire sealant	\$327.00
Vandalism Pkg.	\$142.00
4 Wheel Drive	\$6,488.00
48" long Forks	\$109.00
60" long Forks	\$231.00
All weather cab lockable, heater, tinted safety glass, fan	\$5,357.00
Partial cab, front windshield w/wiper, roof glass	\$1,083.00

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 18%**

**Delivery will be 8 to 10 weeks after receipt of order.**





**Forklifts (Statewide)  
Multiple Award**

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 3 Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Sellick S – S100JDS-2**

**PRICE: \$58,216.00**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>10,000 lbs. @ 24" load center</b>
Engine/Horsepower	84
Service Weight	16,500
Wheels: Front/Rear: (x=driven)	2 wheel base unit, (Option has 4 wheel drive)
Tire Type:	Drive- 15.5 x 25-12 ply, Steer – 14x 17.5-14 ply
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	Base quote @120"/10,000 lbs. (see optional uprights)
Length to Fork Face: (in)	152"
Width: (in.)	89"
Wheelbase (in)	89"
Turning Radius: (in)	178" w/2WD and 183" w/ 4WD
Gradeability @ 1mph loaded (%)	25%
Gradeability @ 1mph unloaded (%)	not given
Service Brake Type	Enclosed multi-disc. Oil - immersed
Parking Brake Type	Mechanically lever operated

**AVAILABLE OPTIONS:**

<b>168" MFH/124" OHL/0" FL, Two stage, standard side shifting</b>	<b>\$933.00</b>
<b>192" MFH/105"OHL/66"FL Three stage, standard side shifting</b>	<b>\$6,778.00</b>
<b>84" Wide IV carriage</b>	<b>\$467.00</b>
<b>Strobe Light</b>	<b>\$204.00</b>
<b>Turn Signal</b>	<b>\$193.00</b>
<b>Engine Shut down Package</b>	<b>\$490.00</b>
<b>Vandalism Pkg.</b>	<b>\$142.00</b>
<b>Ultraseal Tire sealant</b>	<b>\$327.00</b>
<b>4 Wheel Drive</b>	<b>\$6,488.00</b>
<b>60" long Forks</b>	<b>\$141.00</b>
<b>72" long Forks</b>	<b>\$270.00</b>
<b>All weather cab lockable, heater, tinted safety glass, fan</b>	<b>\$5,357.00</b>
<b>Partial cab, front windshield w/wiper, roof glass</b>	<b>\$1,083.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 18%**

**Delivery will be 8 to 10 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Central Missouri Forklift**

**Item – 3** Standard Rough Terrain type sit down model forklift meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Sellick S – S120JDS-2

**PRICE:** \$62,806.00

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>12,000 lbs. @ 24" load center</b>
Engine/Horsepower	84
Service Weight	19,295
Wheels: Front/Rear: (x=driven)	2 wheel base unit, (Option has 4 wheel drive)
Tire Type:	Drive- 15.5 x 25-12 ply, Steer – 14x 17.5-14 ply
Number of tires Front/Rear	2 + 2
Max. Fork Height, Full Capacity: (in)	Base quote @120"/10,000 lbs. (see optional uprights)
Length to Fork Face: (in)	159"
Width: (in.)	89"
Wheelbase (in)	89"
Turning Radius: (in)	178" w/2WD and 183" w/ 4WD
Gradeability @ 1mph loaded (%)	25%
Gradeability @ 1mph unloaded (%)	not given
Service Brake Type	Enclosed multi-disc. Oil - immersed
Parking Brake Type	Mechanically lever operated

**AVAILABLE OPTIONS:**

168" MFH/129" OHL/0" FL, Two stage, standard side shifting	\$1,589.00
192" MFH/110"OHL/66"FL Three stage, standard side shifting	\$5,969.00
84" Wide IV carriage	\$999.00
Strobe Light	\$204.00
Turn Signal	\$193.00
Engine Shut down Package	\$490.00
Vandalism Pkg.	\$142.00
Ultraseal Tire sealant	\$327.00
4 Wheel Drive	\$6,488.00
60" long Forks	\$192.00
72" long Forks	\$511.00
All weather cab lockable, heater, tinted safety glass, fan	\$5,357.00
Partial cab, front windshield w/wiper, roof glass	\$1,083.00

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 18%**

**Delivery will be 8 to 10 weeks after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Wiese Planning & Engineering**

**Item – 3 Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer’s standard literature and MoDOT specifications.**

**MAKE/MODEL: Sellick S – 80JDS-2**

**PRICE: \$53,797.00**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>8,000 lbs. @ 24” load center</b>
Engine/Horsepower	84
Service Weight	15,200
Wheels: Front/Rear: (x=driven)	2x/2
Tire Type:	Pneumatic
Number of tires Front/Rear	2 Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	120”
Length to Fork Face: (in)	150”
Width: (in.)	89”
Wheelbase (in)	89”
Turning Radius: (in)	178”
Gradeability @ 1mph loaded (%)	25%
Gradeability @ 1mph unloaded (%)	25%
Service Brake Type	Foot-operated, hydraulic
Parking Brake Type	Hand-operated, mechanical

**AVAILABLE OPTIONS:**

<b>4WD Steer</b>	<b>\$7,804.00</b>
<b>3 Stage Mast MFH 180” LH94” FL61”</b>	<b>\$7,082.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 18%**

**Delivery will be 70 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Wiese Planning & Engineering**

**Item – 3 Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Sellick S – 80JDS-2**

**PRICE: \$59,354.00**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>10,000 lbs. @ 24" load center</b>
Engine/Horsepower	84
Service Weight	17,500
Wheels: Front/Rear: (x=driven)	2x/2
Tire Type:	Pneumatic
Number of tires Front/Rear	2 Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	120"
Length to Fork Face: (in)	152"
Width: (in.)	89"
Wheelbase (in)	89"
Turning Radius: (in)	178"
Gradeability @ 1mph loaded (%)	25%
Gradeability @ 1mph unloaded (%)	25%
Service Brake Type	Foot-operated, hydraulic
Parking Brake Type	Hand-operated, mechanical

**AVAILABLE OPTIONS:**

<b>4WD Steer</b>	<b>\$7,804.00</b>
<b>3 Stage Mast MFH 192" LH94" FL66"</b>	<b>\$8,100.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

***% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 18%***

**Delivery will be 70 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Wiese Planning & Engineering**

**Item – 3** Standard Rough Terrain type sit down model forklift meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Sellick S – 120JDS-2

**PRICE:** \$63,865.00

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>12,000 lbs. @ 24" load center</b>
Engine/Horsepower	84
Service Weight	20,200
Wheels: Front/Rear: (x=driven)	2x/2
Tire Type:	Pneumatic
Number of tires Front/Rear	2 Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	120"
Length to Fork Face: (in)	159"
Width: (in.)	89"
Wheelbase (in)	89"
Turning Radius: (in)	183"
Gradeability @ 1mph loaded (%)	25%
Gradeability @ 1mph unloaded (%)	25%
Service Brake Type	Foot-operated, hydraulic
Parking Brake Type	Hand-operated, mechanical

**AVAILABLE OPTIONS:**

<b>4WD Steer</b>	<b>\$7,804.00</b>
<b>3 Stage Mast MFH 192" LH110" FL66"</b>	<b>\$8,100.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 18%**

**Delivery will be 70 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Crown Power**

**Item – 3** Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Case – 588-G

**PRICE:** \$46,705.00

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>8,000 lbs. @ 24" load center</b>
Engine/Horsepower	84
Service Weight	16,416
Wheels: Front/Rear: (x=driven)	2x/2
Tire Type:	R-4 Front/F-3 Rear
Number of tires Front/Rear	2 / 2
Max. Fork Height, Full Capacity: (in)	180"
Length to Fork Face: (in)	48"
Width: (in.)	7'4"
Wheelbase (in)	84"
Turning Radius: (in)	158.5"
Gradeability @ 1mph loaded (%)	N/A
Gradeability @ 1mph unloaded (%)	N/A
Service Brake Type	Hydraulic wet disc
Parking Brake Type	Disc, mechanical lever

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%**

**Delivery will be 45-120 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Victor L. Phillips**

**Item – 3 Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Case – 586-G Note this is a 4WD**

**PRICE: \$54,853.00 (4 WD)**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>6,000 lbs. @ 24" load center</b>
Engine/Horsepower	80
Service Weight	14,337
Wheels: Front/Rear: (x=driven)	Front Wheel
Tire Type:	Bias
Number of tires Front/Rear	2 / 2
Max. Fork Height, Full Capacity: (in)	180"
Length to Fork Face: (in)	16'.3"
Width: (in.)	83"
Wheelbase (in)	84"
Turning Radius: (in)	26'.5"
Gradeability @ 1mph loaded (%)	N/A
Gradeability @ 1mph unloaded (%)	N/A
Service Brake Type	Hydraulic wet disc
Parking Brake Type	Disc , mechanical lever

**AVAILABLE OPTIONS:**

<b>4WD Delete</b>	<b>\$-6,240.00 (Deduct)</b>
<b>15" Mast with 60" carriage, Hook type</b>	<b>\$-3,165.00 (Deduct) Replace 22' Mast</b>
<b>60' Back rest</b>	<b>\$325.00</b>
<b>Load Control</b>	<b>\$500.00</b>
<b>Deluxe Suspension seat</b>	<b>\$395.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%**

**Delivery will be 90 -120 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Victor L. Phillips**

**Item – 3    Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer’s standard literature and MoDOT specifications.**

**MAKE/MODEL: Case – 588-G 4WD**

**PRICE:    \$56,927.00 (4 WD)**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>8,000 lbs. @ 24” load center</b>
Engine/Horsepower	80
Service Weight	16,684
Wheels: Front/Rear: (x=driven)	Front Wheel
Tire Type:	Bias
Number of tires Front/Rear	2 / 2
Max. Fork Height, Full Capacity: (in)	180”
Length to Fork Face: (in)	48”
Width: (in.)	83”
Wheelbase (in)	84”
Turning Radius: (in)	26’ .5”
Gradeability @ 1mph loaded (%)	N/A
Gradeability @ 1mph unloaded (%)	N/A
Service Brake Type	Hydraulic wet disc
Parking Brake Type	Disc, mechanical lever

**AVAILABLE OPTIONS:**

<b>4WD Delete</b>	<b>\$-6,240.00 (Deduct)</b>
<b>15” Mast with 60” carriage, Hook type</b>	<b>\$-3,165.00 (Deduct) Replace 22’ Mast</b>
<b>60” Back rest</b>	<b>\$325.00</b>
<b>Load Control</b>	<b>\$500.00</b>
<b>Deluxe Suspension seat</b>	<b>\$395.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 0%**

**Delivery will be 90 -120 days after receipt of order.**





**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Luby Equipment**

**Item – 3 Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Case – 586-G**

**PRICE: \$43,6000.00**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>6,000 lbs. @ 24" load center</b>
Engine/Horsepower	80
Service Weight	14,285
Wheels: Front/Rear: (x=driven)	X=19.5L x 24 / 11L x 16
Tire Type:	12 Pr. R4 / 10PR, F3
Number of tires Front/Rear	2 Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	180"
Length to Fork Face: (in)	48"
Width: (in.)	83"
Wheelbase (in)	84"
Turning Radius: (in)	26' .5"
Gradeability @ 1mph loaded (%)	N/A
Gradeability @ 1mph unloaded (%)	N/A
Service Brake Type	Hydraulic wet disc
Parking Brake Type	Disc , mechanical lever

**AVAILABLE OPTIONS:**

<b>4WD</b>	<b>\$5,650.00</b>
<b>60" Carriage Back rest</b>	<b>\$300.00</b>
<b>Load Control</b>	<b>\$500.00</b>
<b>Deluxe Suspension seat</b>	<b>\$400.00</b>
<b>16' Free lift mast 6,000 lbs. (in lieu std.)</b>	<b>\$9,900.00</b>
<b>22' Mast 6,000 lbs. ( in lieu of standard)</b>	<b>\$8,600.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%**

**Delivery will be 90 -160 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Luby Equipment**

**Item – 3    Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer’s standard literature and MoDOT specifications.**

**MAKE/MODEL: Case – 588-G**

**PRICE:    \$47,000.00**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>8,000 lbs. @ 24” load center</b>
Engine/Horsepower	80
Service Weight	14,285
Wheels: Front/Rear: (x=driven)	X=19.5L x 24 / 11L x 16
Tire Type:	12 Pr. R4 / 10PR, F3
Number of tires Front/Rear	2 Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	180”
Length to Fork Face: (in)	48”
Width: (in.)	83”
Wheelbase (in)	84”
Turning Radius: (in)	26’ .5”
Gradeability @ 1mph loaded (%)	N/A
Gradeability @ 1mph unloaded (%)	N/A
Service Brake Type	Hydraulic wet disc
Parking Brake Type	Disc , mechanical lever

**AVAILABLE OPTIONS:**

<b>4WD</b>	<b>\$5,100.00</b>
<b>60” Carriage Back rest</b>	<b>\$300.00</b>
<b>Load Control</b>	<b>\$500.00</b>
<b>Deluxe Suspension seat</b>	<b>\$400.00</b>
<b>22’ Mast 8,000 lbs. ( in lieu of standard)</b>	<b>\$10,400.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%**

**Delivery will be 90 -160 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Potter Equipment**

**Item – 3 Standard Rough Terrain type sit down model forklift diesel powered meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.**

**MAKE/MODEL: Case – 586-G**

**PRICE: \$43,577.00**

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>6,000 lbs. @ 24" load center</b>
Engine/Horsepower	80
Service Weight	14,285
Wheels: Front/Rear: (x=driven)	X=19.5L x 24 / 11L x 16
Tire Type:	12 Pr. R4 / 10PR, F3
Number of tires Front/Rear	2 Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	180"
Length to Fork Face: (in)	48"
Width: (in.)	83"
Wheelbase (in)	84"
Turning Radius: (in)	26' .5"
Gradeability @ 1mph loaded (%)	N/A
Gradeability @ 1mph unloaded (%)	N/A
Service Brake Type	Hydraulic wet disc
Parking Brake Type	Disc, mechanical lever

**AVAILABLE OPTIONS:**

<b>4WD</b>	<b>\$6,676.00</b>
<b>60" Carriage Back rest</b>	<b>\$300.00</b>
<b>Load Control</b>	<b>\$499.00</b>
<b>Deluxe Suspension seat</b>	<b>\$391.00</b>
<b>22' Mast 6,000 lbs. ( in lieu of standard)</b>	<b>\$8,633.00</b>
<b>16 ft. free lift mast, with 60" carriage</b>	<b>\$9,939.00</b>
<b>cab and air conditioning</b>	<b>\$11,500.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%**

**Delivery will be 90 -160 days after receipt of order.**



**Forklifts (Statewide)  
Multiple Award**

---

**Contract Number: 3-090616**

**Vendor: Potter Equipment**

**Item – 3** Standard Rough Terrain type sit down model forklift meeting the net lifting capacity range from 6000 lbs to 12,000 lbs, per as advertised in manufacturer's standard literature and MoDOT specifications.

**MAKE/MODEL:** Case – 586-G

**PRICE:** \$47,004.00

**EQUIPMENT INCLUDED IN PRICE:**

<b>Load Capacity: lbs</b>	<b>8,000 lbs. @ 24" load center</b>
Engine/Horsepower	80
Service Weight	13,587
Wheels: Front/Rear: (x=driven)	19.5L x 24 front, 12x 16.5 rear
Tire Type:	R4 Front & F3 Rear
Number of tires Front/Rear	2 Front / 2 Rear
Max. Fork Height, Full Capacity: (in)	180"
Length to Fork Face: (in)	48"
Width: (in.)	88"
Wheelbase (in)	84"
Turning Radius: (in)	26'.5"
Gradeability @ 1mph loaded (%)	N/A
Gradeability @ 1mph unloaded (%)	N/A
Service Brake Type	Hydraulic wet disc
Parking Brake Type	Disc, mechanical lever

**AVAILABLE OPTIONS:**

<b>4WD</b>	<b>\$6,676.00</b>
<b>Load Control</b>	<b>\$498.00</b>
<b>Deluxe Suspension seat</b>	<b>\$391.00</b>
<b>22' Mast</b>	<b>\$10,397.00.00</b>
<b>16 ft. free lift mast, with 60" carriage</b>	<b>\$9,939.00</b>
<b>Cab and air conditioning</b>	<b>\$11,500.00</b>

**Notes:**

**Additional options available contact fleet buyer or this vendor for complete list.**

**% Discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 35%**

**Delivery will be 90 -160 days after receipt of order.**